



Phambili Safety

Manufacturers of First Aid Kits and Suppliers of PPE
(BBBEE Level 2)

For Orders Contact Belinda: 082 925 6278
Tyrone: 082 851 9571

admin@phambilisafety.co.za
tyrone@phambilisafety.co.za

www.phambilisafety.co.za

Wool Material Specifications

Content: 100 % New wool
Weight: 1080 g/mt (720 g/sqmt)
Thickness: 2.20mm to 2.50mm
Complies with Requirements of SANS 1423-1 : 2008

Colour: Black
Flame Retardant Finish
Zipro Treated



CODE: WCCL-01

Woollen Coat With Chrome Leather

Woollen Coat 3/4 length with collar, Chrome leather sewn down both left and right front panels, full length. With chrome leather sewn on full, around both arms. Front fastening with 38mm hook and loop velcro protected with a leather flap.



Woollen Jacket Standard with Reflective Tape

Woollen Jacket 80cm long, with collar or attached hood with 38mm quick release hook and loop velcro fastening with 50 mm white PVC reflective tape sewn around both sleeve of jacket above the elbows.



CODE: WJRT-01

Woollen Trousers Standard with Reflective Tape

Woollen Trousers with 50 mm white PVC reflective tape sewn around left leg only above the knee. With two side pockets and fly front opening with 38mm quick release hook and loop velcro fastening, belt loops and waistband.



CODE: WTRT-02

Woollen Trousers With Chrome Leather

Woollen Trousers with chrome leather sewn on front legs from below crutch to trousers hem. With two side pockets, fly front opening with hook and loop velcro fastening. Belt loops and waistband.



CODE: WTCL-01



Phambili Safety

Manufacturers of First Aid Kits and Suppliers of PPE
(BBBEE Level 2)

For Orders Contact Belinda: 082 925 6278

Tyrone: 082 851 9571

admin@phambilisafety.co.za

tyrone@phambilisafety.co.za

www.phambilisafety.co.za

ALU- CHROME WOOLLEN TAPPING COAT (3/4 LENGTH)

Materials

- 100% wool 700 gms black, Flame retardant treated (Complies with SANS 1423-1:2008
- Aluminized Laminated Para Aramid Fabric
- Thickness- 1.4mm
- Weight - 370g/sqm
- Flame retardant. High Heat Resistant
- Chrome leather gloving split

Style

- Woollen coat- 3/4 length
- Front fastening with 50mm Flame retardant quick release velcro
- Aluminized Para Aramid fabric sewn down full length of left front panel. Sewn on full left sleeve from shoulder to cuff and on front of right sleeve from shoulder to cuff. Aluminized covered neck fastening tab with velcro sewn horizontal to front fastening 2cm from neck seam.

Chrome leather sewn down full length of half of left back, extended from aluminized para aramid fabric, providing added protection on back facing tapping operation.



CODE: ACWC-01

WOOLLEN BALACLAVA

Wool Material Specifications

Content : 100% New wool

Weight: 1080 g/mt (720 g/sqmt)

Thickness: 2.20mm to 2.50mm

Flame Retardant Finish

Zipro Treated

Colour: Black

Complies with Requirements of SANS 1423-1 : 2008

CODE: WB-002





Phambili Safety

Manufacturers of First Aid Kits and Suppliers of PPE
(BBBEE Level 2)

For Orders Contact Belinda: 082 925 6278
Tyrone: 082 851 9571

admin@phambilisafety.co.za
tyrone@phambilisafety.co.za

www.phambilisafety.co.za



RED LINED, BLACK COTTON LINER, KEVLAR THREAD 20cm CUFF

RED HOT, HIGH HEAT,
LINED, LEATHER
FOUNDRY GLOVES-ELBOW
LENGTH

CODE: RHFG-003



ALUMINIZED BACK RED LEATHER C/W THERO BARRIER LINER- ELBOW LENGTH (FURNACE PRO)

RED HOT, HIGH HEAT, LINED,
LEATHER ALUMINIZED BACK
FOUNDRY GLOVES- ELBOW
LENGTH

CODE: RHAFG-004



FURNACE HOOD WOOL

FLAME RETARDANT

100 % WOOL WITH A 3mm CLEAR
OR GREEN POLYCARBONATE VISOR
CODE: FHW-01



NOMEX BALACLAVA

CODE: NB-005

SINGLE OR DOUBLE LAYER



FURNACE HOOD ALUMINIZED

PARA-ARAMID FABRIC
ALUMINIZED FOUNDRY HOOD
CODE:FHA/02



Phambili Safety

Manufacturers of First Aid Kits and Suppliers of PPE
(BBBEE Level 2)

For Orders Contact Belinda: 082 925 6278
Tyrone: 082 851 9571

admin@phambilisafety.co.za
tyrone@phambilisafety.co.za

www.phambilisafety.co.za



**ALUMINIZED PARA-ARAMID
COAT WITH A FLAME
RETARDANT LINER**

**STEEL ZIP, WITH A CONCEALED
FLAP VELCRO CLOSE**

CODE: APC-001



**ALUMINIZED KEVLAR SPAT
KNEE LENGTH**

CODE: AKS/004



**YELLOW KEVLAR
ALUMINIZED BACK MIT**

CODE: YKAM/001



**NOMEX NEEDLE FELT ELBOW
LENGTH GLOVES
WITH APRON PALM**

CODE: NNF/G01



**NOMEX NEEDLE FELT GLOVES
WITH ALUMINIZED CUFF**

**ELBOW LENGTH - CODE: NNF/A03
SHOULDER LENGTH - CODE: NNF/A05**



**NOMEX NEEDLE FELT
HAND PADS - WRIST LENGTH**

CODE: NNF/M06



**NEEDLE FELT GLOVES
MITTS**

CODE: NFGM/08



Phambili Safety

www.phambilisafety.com

LOW GI FORMULATION - SUGAR FREE

M2 Body Fuel – excellent source of

VITAMIN B COMPLEX –

enabling the body to turn food into energy

SELENIUM –

critical for production of the body's primary antioxidant
found in every cell

VITAMIN C –

for the growth and repair of tissues in the body, needed
for healing, to repair and maintain strong bones and
teeth, a much-needed antioxidant

ELECTROLYTES –

to regulate nerve and muscle function, to maintain water
and acid balance,
preventing disorders from developing

TAURINE –

a natural amino acid known as the longevity molecule



Where does the energy come from?

Constant energy supply and the replenishing of electrolytes for people performing (sometimes) under extreme conditions is of much importance for performance. It is therefore imperative that energy levels must be kept at a constant level for a prolonged period. In the regular M2 Body Fuel 10g formulation the energy source is based on a Glucose 2% for immediate release, followed by Maltose 6%, then Maltotriose 9% and then a Polysaccharide of 86%.

Flavours

Orange
Fruit Punch
Berry
Naartjie
Mixed

Formulation

Formulated to provide energy, to address fatigue, rehydrate and to serve as a vitamin and mineral supplement.

Applications

- ✓ *Energy, fatigue and dehydration management*
- ✓ *Improves energy levels*
- ✓ *Vitamin & Mineral supplement*
- ✓ *Caffeine and Tartrazine free*
- ✓ *Increases cognitive function*
- ✓ *Foil sachet containing a blend of vitamins, minerals, carbohydrates and electrolytes*
- ✓ *Foil packs extends shelf-life to 2 years*

Dosage

One sachet of 10g must be mixed with 800-1000ml of water.

Contact: Tyrone - 082 851 9571
tyrone@phambilisafety.co.za

Belinda - 082 925 6278
admin@phambilisafety.co.za



Nutritional Information

TYPICAL NUTRITIONAL INFORMATION			
Nutrient	per 100g	per 10g serving	*NRV%
Energy (kJ)	945	94	
Protein (g)	0	0	0
Total Fat (g)	0	0	
Cholesterol (g)	0	0	
Ash (g)	0	0	
Carbohydrates (g)	62	6	
Total Dietary Fiber (g)	0	0	
Total Sugar (g)	58	6	
Calcium (mg)	650	65	5
Magnesium (mg)	500	50	12
Phosphorus (mg)	890	89	7
Zinc (mg)	9.5	0.9	9
Selenium (µg)	280	28	40
Vit C (mg)	1250	125	125
Niacin Vit B3 (mg)	60	6	40
Thiamine Vit B1 (mg)	4.8	0.48	40
Riboflavin Vit B2 (mg)	5.2	0.52	40
Pantothenic Acid Vit B5 (mg)	60	2.4	40
Pyridoxin Vit B6 (mg)	7	0.7	40
Folic Acid Vit B9 (mcg)	1600	160	40
Cobalamin Vit B12 (mcg)	9.6	0.96	40
Vit A mcg	3600	360	40
Taurine (mg)	3000	300	
Vit E (mg TE)	40	4	40
Vit D (mcg)	20	2	40
* Nutritional Reference Values for individuals 4 years and older			
Nutritional information above is calculated according to approved Nutrient Database's for Standard Reference as ratified by affiliated, accredited laboratories			

Ingredients: Maltodextrin, Vitamin & Mineral Mix (Vit C, Vit E, Vit A Acetate, Vit D, Vit B1, Vit B2, Vit B3, Vit B5, Folic Acid, Vit B6, Vit B9, Vit B12, Nicotinic Acid, Zinc Citrate, Calcium Lactate, Magnesium Citrate, Potassium, Sodium, Selenium, Taurine), Flavourants, Citric Acid, Malic Acid, colourant, Artificial Sweetener: Sodium Cyclamate, *Aspartame and *Sodium Saccharine
 *Contains Phenylalanine

